



**AERIX**



*Let the wind*  
**Show your**  
**Attitude.**

website : [www.aerixswitchgears.com](http://www.aerixswitchgears.com)

**2025**

CATALOGUE



## Introduction

It gives us immense pleasure and pride to introduce you to our company Aerix Industries Pvt Ltd., a leading manufacturer of ceiling fans. Aerix Industries Pvt Ltd. is a FMEG company, having a successful record in manufacturing and delivering products of unmatched quality with a motive to make lives better of the people we touch.

## Our Mission

To provide a superlative quality of products in a reasonable price where we offer impeccable value for money and a great sense of ownership to our customer.

## Our Vision

To become one of the highly reputed brands offering a variety of innovative products that our customers can trust for years.

## Key Product Lines

1. AC Induction Ceiling Fan
2. BLDC Ceiling Fan
3. Table / Wall / Pedestal Fan
4. Bullet Fan / Farrata Fan
5. Fresh Air Fan / Ventilation Fan / Axial Fan
6. All Purpose Fan
7. Iron
8. Room Heater
9. Immersion Rod
10. Geyser

We are using state- of - the - art technology in manufacturing fans along with the help of our stringent quality norms like kaizen, FMEA 7QC tools etc.

 **AERIX**


# CEILING FAN



*Let the wind  
Show your  
Attitude.*

website : [www.aerixswitchgears.com](http://www.aerixswitchgears.com)

**DECOR 1200MM**  
**BLDC**



**3 YEARS WARRANTY**

Power Saving  
**BLDC**  
TECHNOLOGY




**HIGH SPEED**



**TECHNICAL SPECIFICATION**

MODEL	SWEEP	RATED POWER	RATED SPEED	AIR DELIVERY
5 STAR	1200MM/48"	28 WATT	380	215

**COOPER 1200MM**  
**BLDC**



**3 YEARS WARRANTY**

Power Saving  
**BLDC**  
TECHNOLOGY




**HIGH SPEED**




**TECHNICAL SPECIFICATION**

MODEL	SWEEP	RATED POWER	RATED SPEED	AIR DELIVERY
5 STAR	1200MM/48"	28 WATT	380	215

**COZI 1200MM  
BLDC**



**COZI + 1200MM  
BLDC**



**3 YEARS WARRANTY**

Power Saving  
**BLDC TECHNOLOGY**

**HIGH SPEED**

**PREMIUM QUALITY GUARANTEED**

**ANTI DUST**

**POWER SAVINGS GUIDE**



IS - 374

**TECHNICAL SPECIFICATION**

MODEL	SWEEP	RATED POWER	RATED SPEED	AIR DELIVERY
COZI	1200MM/48"	28 WATT	380	215
COZI +	1200MM/48"	28 WATT	380	215



*Let the wind  
Show your  
Attitude.*

website : [www.aerixswitchgears.com](http://www.aerixswitchgears.com)



**COMING SOON....**

### GOLDY 1200MM



### SALSA 1200MM



#### TECHNICAL SPECIFICATION

MODEL	SWEEP	RATED POWER	RATED SPEED	AIR DELIVERY
3 STAR	1200MM/48"	43 WATT	380	220
SALSA	1200MM/48"	43 WATT	380	220



### PANORAMA 1200MM



### VISTA 1200MM




#### TECHNICAL SPECIFICATION

MODEL	SWEEP	RATED POWER	RATED SPEED	AIR DELIVERY
PANORAMA	1200MM/48"	43 WATT	380	220
VISTA	1200MM/48"	43 WATT	380	220




1200MM  
900MM

JAWA 1200MM



1200MM  
900MM

JUPITER 1200MM



-   
HYBRID  
COPPER
-   
NOISELESS  
OPERATION
-   
HIGH  
SPEED
-   
HIGH AIR  
DELIVERY
-   
SUPERIOR  
PAINT FINISH

TECHNICAL SPECIFICATION				
MODEL	SWEEP	RATED POWER	RATED SPEED	AIR DELIVERY
1 STAR 1200	1200MM/48"	50 WATT	380	210
1 STAR 1200	1200MM/48"	50 WATT	380	210






1200MM  
900MM

1200MM  
900MM

RACER

CIAZ




TECHNICAL SPECIFICATION

MODEL	SWEEP	RATED POWER	RATED SPEED	AIR DELIVERY
RACER	1200MM/48"	50 WATT	380	210
CIAZ	1200MM/48"	50 WATT	380	210




**1200MM  
900MM**

**LAVA**



**1200MM  
900MM**

**REGAL**




**TECHNICAL SPECIFICATION**

MODEL	SWEEP	RATED POWER	RATED SPEED	AIR DELIVERY
LAVA	1200MM/48"	50 WATT	380	210
1 STAR 1200	1200MM/48"	50 WATT	380	210




600MM  
24"

CIAZ



600MM  
24"

RACER



TECHNICAL SPECIFICATION

MODEL	SWEEP	RATED POWER	RATED SPEED	AIR DELIVERY
1 STAR 600MM	600MM/24"	50 WATT	840	210
1 STAR 600MM	600MM/24"	50 WATT	380	210



**TABLE  
PEDESTAL  
WALL Fan**



## LOVELY TABLE *fan*

9" 225MM  
12" 300MM

### Features :

- Low Noise
- Fully Balanced Blade
- Heavy and Fast Motor
- Powered by heavy duty motor
- High Velocity Performance
- Strong and Heavy Construction



## BLAZE ALL PURPOSE FAN

300MM (12")

Hi-speed Multi Purpose Fan.  
Metal Blade With 3 Speed Multi Purpose Fan.

- Low Noise
- Fully Balanced Blade
- Powered by Heavy duty Motor
- High Velocity Performance
- Strong and Heavy Construction



**PANTHER  
PEDESTAL fan**

**16" ( 400MM)**

1330 RPM

Plastic Blade With 3 Speed Fan.

**Features :**

- Low Noise
- Fully Balanced Blade
- Powered by Heavy duty Motor
- High Velocity Performance
- Strong and Heavy Construction



**Neo  
PEDESTAL fan**

**16" ( 400MM)**

1330 RPM

4 Speed Fan with Timer

**Features :**

- Low Noise
- Fully Balanced Blade
- Powered by Heavy duty Motor
- High Velocity Performance
- Strong and Heavy Construction



**TORNADO  
FARATTA fan**

**16" ( 400MM)**  
2100 RPM  
with Oscillation

**Features :**

- Low Noise
- Fully Balanced Blade
- Powered by Heavy duty Motor
- High Velocity Performance
- Strong and Heavy Construction



**SONIC  
JUMBO FARATTA fan**

**20" (500MM)**  
1400 RPM  
with Oscillation

**Features :**

- Low Noise
- Fully Balanced Aluminium Blade
- Powered by Heavy duty Motor
- High Velocity Performance
- Strong and Heavy Construction



**STYLUS** fan

**18" (450MM)**

1300 RPM  
with Oscillation

**Features :**

- 4 Speed Function with Zero Vibration
- PVD Coated Aluminum Blade
- Stainless Steel 304 Grade Pipe Column
- Double Ball Bearing Heavy Duty Motor



**TERMINATOR** fan

**18" (450MM)**

1400 RPM  
with Oscillation

**Features :**

- 3 Speed Function with Zero Vibration
- Aluminum Blade
- Double Ball Bearing Heavy Duty Motor
- Full Metal Construction



**JAGUAR** fan

**16" (400MM)**

1300 RPM  
with Oscillation

**Features :**

- Low Noise With Plastic Blade
- Powered By Heavy Duty Motor
- Strong And Heavy Construction




**TRENDY** fan

**16" (400MM)**

1300 RPM  
with Oscillation

**Features :**

- Low Noise With Plastic Blade
- Powered By Heavy Duty Motor
- Strong And Heavy Construction



*Snow tower fan*

RATED POWER - (230/50 HZ. A.C)	170 WATTS
AIR DEFLECTION	90 DEGREE
MOTORISED LOUVER	VERTICAL
AIR DISTANCE IN FITS.	25
ENGG. PLASTIC (BLOWER / FAN)	BLOWER - 155 MM DAI
COOLER RPM	1350
AIR NOMINAL CAPACITY-M 3HR	2300
NO OF SPEED	3 SPEED
TROLLEY / CASTER WHEEL	RUBBER FOOT
PRODUCT DIMENSION	L-285 X W-230 X H-750 MM



## Long Lasting Wires

### Product Range :

- Multistrand wire
- Round Flexible Multicore Cables
- Submersible Flat Cables
- Alm Service Wires
- LT XLPE UG Power Cables
- Aerial Bunched Cables
- LT Control Cables
- Power Cords
- Automotive Wires





**EXHAUST  
FRESH AIR  
VENTILATION  
AXIAL**

## ALPHA

FRESH AIR FAN  
150MM (6")

- Low Power Consumption
- Easy Mobility
- Compact Design
- Strong And Heavy Construction
- Elegant Design



## ALPHA

FRESH AIR FAN  
225MM (9")

- Low Power Consumption
- Easy Mobility
- Compact Design
- Strong And Heavy Construction
- Elegant Design



## ALPHA

FRESH AIR FAN  
300MM (12")

- Low Power Consumption
- Easy Mobility
- Compact Design
- Strong And Heavy Construction
- Elegant Design



## NEXA VENTILATION FAN 150MM (6")



## NEXA VENTILATION FAN 200MM (8")



## NEXA VENTILATION FAN 250MM (10")



- Low Power Consumption
- Easy Mobility
- Compact Design
- Strong And Heavy Construction
- Elegant Design

**VENTO**  
**AXIAL FAN**  
**100MM (4")**



**VENTO**  
**AXIAL FAN**  
**150MM (6")**



**VENTO**  
**AXIAL FAN**  
**200MM (8")**



- Low Power Consumption
- Easy Mobility
- Compact Design
- Strong And Heavy Construction
- Elegant Design

## **MAGNUS 550W MIXER GRINDER 3 JAR**

HIGH TORQUE  
FASTER GRINDING  
FIRM CUSHIONS PADS  
STAINLESS STEEL JARS  
550 W POWERFUL MOTOR  
SWIFT SERVICE



## **4MATIC 900W JUICER MIXER GRINDER 2 JAR**

- Heavy duty motor, with double ball bearing.
- 900 Watts on maximum load.
- 3 Speed with Rotary action switch.
- Whipper button for momentary motion.
- No Load Speed maximum approx 22000 R.P.M.
- Blender – 1600 ml.
- Dry Grinder – 930 ml.



*Heater  
Geyser  
Iron  
Immersion Rods*



## ALFA

INSTANT WATER HEATER

### FEATURES :

- ▶ Shock Proof & Rust Proof
- ▶ Stainless Steel Inner Tank
- ▶ Thermal Cut-out
- ▶ Multi Function Valve
- ▶ Safety First

3 Ltr.



5 Ltr.



PERFORMANCE	MODEL	POWER	MIXING FACTOR CLOSED TYPE	CONSUMPTION WATTS	HOT WATER OUTPUT
VOLTAGE AT 220-240 V. AC. 50Hz	<b>ALFA</b>	230V / 50Hz. AC	40 %	3.0 KW	40°C



MADE IN INDIA



**FUSION**  
STORAGE WATER HEATER

**FEATURES :**

- ▶ Shock Proof & Rust Proof
- ▶ Stainless Steel Inner Tank
- ▶ Thermal Cut-out
- ▶ Multi Function Valve
- ▶ Safety First

10 Ltr.



15 Ltr.



25 Ltr.



PERFORMANCE	MODEL	POWER	MIXING FACTOR CLOSED TYPE	CONSUMPTION WATTS	HOT WATER OUTPUT	REHEATING TIME CLOSED BY 6Ltr. 10Ltr. 15Ltr. 25Ltr. 35Ltr. 50Ltr.
VOLTAGE AT 220-240 V. AC. 50Hz	FIESTA	230V / 50Hz. AC	40 %	2.0 / 3.0 KW	40°C	45 min. 55 min. 70 min. 80 min. 90 min. 150 min.



Available in  
6, 10, 15, 25, 35, 50 ltrs.

## GRACIA

STORAGE WATER HEATER  
ABS SERIES

### FEATURES :

- ▶ Shock Proof & Rust Proof
- ▶ Stainless Steel Inner Tank
- ▶ Thermal Cut-out
- ▶ Multi Function Valve
- ▶ Safety First

10 Ltr.



15 Ltr.



25 Ltr.



PERFORMANCE	MODEL	POWER	MIXING FACTOR CLOSED TYPE	CONSUMPTION WATTS	HOT WATER OUTPUT	REHEATING TIME CLOSED BY 6Ltr. 10Ltr. 15Ltr. 25Ltr. 35Ltr. 50Ltr.
VOLTAGE AT 220-240 V. AC. 50Hz	FIESTA	230V / 50Hz. AC	40 %	2.0 / 3.0 KW	40°C	45 min. 55 min. 70 min. 80 min. 90 min. 150 min.



MADE IN INDIA



## LIGHT / HEAVY WEIGHT IRON

**Eestree**  
ELECTRIC IRON



**Pride**  
ELECTRIC IRON



THERMOSTAT FOR TEMPERATURE CONTROL

THERMOSTAT INDICATOR LIGHT

NON STICK COATED SOLE PLATE

SWIVEL CORD FOR CONVENIENCE

**1**  
YEAR WARRANTY

PERFORMANCE	PRODUCT	WATTAGE
VOLTAGE AT 230V AC, 50Hz	Electric Iron	750

IS:302-2-3



## IMMERSION ROD

**MAGIC**  
WATER PROOF  
COPPER

Available in : 1000 / 1500 / 2000 wt.



**GOLD**  
WATER PROOF  
STAINLESS STEEL 304 GRADE  
Available in : 1000 / 1500 / 2000 wt.



## Vega



- ▶ 3 Halogen Heating Elements
- ▶ 3 Heating Positions
- ▶ Oscillation Function
- ▶ Tip-over Safety Switch
- ▶ Handle for Portability

## Galaxy

- ▶ 2 Quartz Heating Elements
- ▶ 2 Heating Positions
- ▶ Tip-over Safety Switch
- ▶ Handle for Portability



## Smart



- ▶ Instant Heating
- ▶ 2 Heating Positions
- ▶ Front Safety Grill
- ▶ Portable
- ▶ Tip-over Safety Switch

## Glow



- ▶ Instant Heating
- ▶ 2 Heating Positions
- ▶ Front Safety Grill
- ▶ Portable
- ▶ Tip-over Safety Switch

## Urja

- ▶ Instant Heating
- ▶ 2 Heating Positions
- ▶ Oscillation Function
- ▶ Portable
- ▶ Tip-over Safety Switch





 **AERIX**

Manufactured By  
**AERIX INDUSTRIES PVT. LTD.**  
M 178-179, Sector-3, Bawana  
Indl Area Delhi -110039  
Customer Care : 011-41838268  
Website : [www.aerixswitchgear.com](http://www.aerixswitchgear.com)  
Customer Care : 011 4036 3255

